

P20400.A01

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Dr. C. STEINER et al.

Group Art Unit : Not Yet Assigned

Appln. No: Not Yet Assigned

Examiner : Unknown

Filed : Concurrently Herewith

For : WATER DRAINING DEVICE



COVER LETTER REGARDING EXECUTED APPLICATION

Commissioner of Patents and Trademarks
Washington, D.C. 20231

Sir:


The undersigned points out that the executed application being filed herewith includes copies of 3 partially executed Declarations forwarded by facsimile, and pages 1 - 23 and 4 sheets of drawings which were added by the law firm of the undersigned, which are identical to pages 1 - 23 and 4 sheets of drawings forwarded for execution. Further, the undersigned has been advised that the application was physically present when the inventors executed the Declaration.

Accordingly, Applicants respectfully submit that the present application is properly executed and should be considered as filed in executed form. However, if the U.S. Patent and Trademark Office determines that the present application is not properly executed, Applicants respectfully request that the present application be treated as an unexecuted application under 37 C.F.R. 1.53(b) and (f).

P20400.A01

Should there be any questions or comments, the Examiner is invited to contact the undersigned at the below-listed telephone number.

Respectfully submitted,
Dr. C. STEDNER et al.

A handwritten signature in black ink, appearing to be 'Arnold Turk', written over a horizontal line.

Arnold Turk
Reg. No. 33,094

January 11, 2001
GREENBLUM & BERNSTEIN, P.L.C.
1941 Roland Clarke Place
Reston, VA 20191
(703) 716-1191